Author Index Vol. 673

Ackerman, E.W., see Grouls, R.J.E. 673(1995)51
Addison, R.S., see Wu, Z.-Y. 673(1995)267
Amiss, T.J. and Smoak, I.W.
Determination of chlorobutanol in mouse serum, urine and embryos by capillary gas chromatography with electron capture detection 673(1995)59
Arthur, K. and Hommes, F.A.
Simple isotope dilution assay for propionic acid and isovaleric acid 673(1995)132
Asakawa, N., see Takakuwa, S. 673(1995)113
Avgerinos, A., Axarlis, S., Dragatsis, J., Karidas, Th. and Malamataris, S.
Extractionless high-performance liquid chromatographic method for the simultaneous determination of piroxicam and 5′-hydroxypiroxicam in human plasma and urine 673(1995)142
Axarlis, S., see Avgerinos, A. 673(1995)142
Bartolucci, G.B., see Gori, G. 673(1995)165
Batist, G., see Sandor, V. 673(1995)123
Beconi-Barker, M.G., Roof, R.D., Millerioux, L., Kausche, F.M., Vidmar, T.J., Smith, E.B., Callahan, J.K., Hubbard, V.L., Smith, G.A. and Gilbertson, T.J.
Determination of ceftiofur and its desfuroylceftiofur-related metabolites in swine tissues by high-performance liquid chromatography 673(1995)231
Ben-Hur, E., see Zuk, M.M. 673(1995)320
Bongartz, D. and Hesse, A.
Selective extraction of quercetrin in vegetable drugs and urine by off-line coupling of boronic acid affinity chromatography and high-performance liquid chromatography 673(1995)223
Bos, R.P., see Sessink, P.J.M. 673(1995)205
Breimer, D.D., see Grouls, R.J.E. 673(1995)51
Callahan, J.K., see Beconi-Barker, M.G. 673(1995)231
Cannell, G.R., see Wu, Z.-Y. 673(1995)267
Carini, M., see Pietta, P.G. 673(1995)75
Carreras, D., see Navajas, R. 673(1995)159
Casetta, B., see Gori, G. 673(1995)165
Charles, B.G., see Wong, Y.-c. 673(1995)306
Chatterjee, D.J., see Li, W.Y. 673(1995)281
Chen, P., Nie, L.-H. and Yao, S.-Z.
Determination of lactic acid and pyruvic acid in serum and cerebrospinal fluid by ion-exclusion chromatography with a bulk acoustic wave detector 673(1995)153
Chiku, S., see Takakuwa, S. 673(1995)113
Cirimele, V., Kintz, P., Majdalani, R. and Mangin, P.
Supercritical fluid extraction of drugs in drug addict hair 673(1995)173
Cornpropst, J.D., Gillespie, T.A. and Shipley, L.A.
Determination of the muscarinic agent [(3-(3-1-butylthio)-1,2,5-thiadiazol-4-yl)-1-azabicyclo[2.2.2]octane], in rat, rabbit, and monkey plasma, using high-performance liquid chromatography in conjunction with tandem mass spectrometry 673(1995)67
Cortés, R., see Navajas, R. 673(1995)159
Dasgupta, S., Timby, D.M. and Lam, G.N.
Determination of brequinar in rat plasma by direct deproteinization and reversed-phase high-performance liquid chromatography with ultraviolet absorbance detection 673(1995)107
DeLuca, P.P., see Lee, H.S. 673(1995)136
Doretti, L., see Gori, G. 673(1995)165
Dragatsis, J., see Avgerinos, A. 673(1995)142
Duke, C.C., see Huang, J.L. 673(1995)245
Dunnett, M., see Smith, N.C. 673(1995)35
Eriksson, B.-M., see Toreson, H. 673(1995)81
Flarakos, T., see Sandor, V. 673(1995)123
Fuchs, S., see Pienimäki, P. 673(1995)97
García, M., see Navajas, R. 673(1995)159
Gardana, C., see Pietta, P.G. 673(1995)75
Gilbertson, T.J., see Beconi-Barker, M.G. 673(1995)231
Gillespie, T.A., see Cornpropst, J.D. 673(1995)67
Gonzalo-Lumbreras, R., see Santos-Montes, A. 673(1995)27
Gori, G., Bartolucci, G.B., Sturaro, A., Parvoli, G., Doretti, L., Troiano, R. and Casetta, B.
High-performance liquid chromatographic determination of urinary 2,5-hexanedione as mono-2,4-dinitrophenylhydrazone using ultraviolet detection 673(1995)165
Grabs, A.J., see Wu, Z.-Y. 673(1995)267
Grouls, R.J.E., Machielsen, E., Korsten, H.H.M., Hellebrekers, L.J., Breimer, D.D. and Ackerman, E.W.
Capillary gas chromatographic method for the determination of *n*-butyl-*p*-aminobenzoate and lidocaine in plasma samples 673(1995)51
Gude, Th., Preiss, A. and Rubach, K.
Determination of chloramphenicol in muscle, liver, kidney and urine of pigs by means of immunoaffinity chromatography and gas chromatography with electron-capture detection 673(1995)197
Gupta, R.N.
Column liquid chromatographic determination of clozapine and N-desmethylclozapine in human serum using solid-phase extraction 673(1995)311
Hänseler, E., see Rentsch, K.M. 673(1995)259
Hattori, H., see Seno, H. 673(1995)189
Hellebrekers, L.J., see Grouls, R.J.E. 673(1995)51
Hesse, A., see Bongartz, D. 673(1995)223
Hommes, F.A., see Arthur, K. 673(1995)132
Horowitz, B., see Zuk, M.M. 673(1995)320
Hsu, K.-Y., see Uang, Y.-S. 673(1995)43
Huang, J.L., Mather, L.E. and Duke, C.C.
High-performance liquid chromatographic determination of thiopentone enantiomers in sheep plasma 673(1995)245
Hubbard, V.L., see Beconi-Barker, M.G. 673(1995)231
Imaz, C., see Navajas, R. 673(1995)159
Inubushi, M., see Tanaka, E. 673(1995)147

Ishii, A., see Seno, H. 673(1995)189
Isojärvi, J., see Pienimäki, P. 673(1995)97
Izquierdo-Hornillos, R., see Santos-Montes, A. 673(1995)27
Johansen, K., see Krogh, M. 673(1995)299
Jung, Y.S., see Lee, H.S. 673(1995)136
Kang, F.-L., see Uang, Y.-S. 673(1995)43
Karidas, Th., see Avgerinos, A. 673(1995)142
Kashimoto, M., see Nagasawa, M. 673(1995)294
Kausche, F.M., see Beconi-Barker, M.G. 673(1995)231
Kenney, M.E., see Zuk, M.M. 673(1995)320
Kern, W., see Loidl-Stahlhofen, A. 673(1995)1
Kimura, Y., see Nagasawa, M. 673(1995)294
Kintz, P., see Cirimele, V. 673(1995)173
Knebel, N.G., Sharp, S.R. and Madigan, M.J.
Rapid quantitative determination of a collagenase inhibitor and its major metabolite by on-line liquid chromatography with ionspray tandem mass spectrometric detection 673(1995)213
Koda, R.T., see Li, W.Y. 673(1995)281
Korsten, H.H.M., see Grouls, R.J.E. 673(1995)51
Krogh, M., Johansen, K., Tønnesen, F. and Rasmussen, K.E.
Solid-phase microextraction for the determination of the free concentration of valproic acid in human plasma by capillary gas chromatography 673(1995)299
Kulczykowska, E.
Solid-phase extraction of arginine vasotocin and isotocin in fish samples and subsequent gradient reversed-phase high-performance liquid chromatographic separation 673(1995)289
Kumazawa, T., see Seno, H. 673(1995)189
Kurono, S., see Seno, H. 673(1995)189
Lam, G.N., see Dasgupta, S. 673(1995)107
Lee, H., see Lee, H.S. 673(1995)136
Lee, H.S., Lee, J.S., Lee, H., Jung, Y.S., DeLuca, P.P. and Lee, K.C.
Reversed-phase high-performance liquid chromatography of salmon calcitonin and its degradation products in biological samples using column switching and flow-through radioisotope detection 673(1995)136
Lee, J.S., see Lee, H.S. 673(1995)136
Lee, K.C., see Lee, H.S. 673(1995)136
Li, W.Y., Chatterjee, D.J., Shetty, B.V., Wu, E.Y., Muggia, F. and Koda, R.T.
High-performance liquid chromatographic method for the determination of a novel thymidylate synthase inhibitor, AG 331, in human serum 673(1995)281
Lloyd, D.K., see Sandor, V. 673(1995)123
Loidl-Stahlhofen, A., Kern, W. and Spiteller, G.
Gas chromatographic–electron impact mass spectrometric screening procedure for unknown hydroxyaldehydic lipid peroxidation products after pentafluorobenzyloxime derivatization 673(1995)1
Macek, J. and Ptáček, P.
Determination of ofloxacin in human plasma using high-performance liquid chromatography and fluorescence detection 673(1995)316
Machielsen, E., see Grouls, R.J.E. 673(1995)51
Madigan, M.J., see Knebel, N.G. 673(1995)213
Maffei-Facino, R., see Pietta, P.G. 673(1995)75
Majdalani, R., see Cirimele, V. 673(1995)173
Malamataris, S., see Avgerinos, A. 673(1995)142
Mangin, P., see Cirimele, V. 673(1995)173
Mano, N., see Takakuwa, S. 673(1995)113
Martens, J.
Determination of loratadine and pheniramine from human serum by gas chromatography–mass spectrometry 673(1995)183
Marty, Y., see Soudant, P. 673(1995)15
Mather, L.E., see Huang, J.L. 673(1995)245
Mauri, P.L., see Pietta, P.G. 673(1995)75
Millerioux, L., see Beconi-Barker, M.G. 673(1995)231
Mills, P.C., see Smith, N.C. 673(1995)35
Misawa, S., see Tanaka, E. 673(1995)147
Moal, J., see Soudant, P. 673(1995)15
Muggia, F., see Li, W.Y. 673(1995)281
Nagasawa, M., Kashimoto, M., Sugawara, M. and Kimura, Y.
Determination of the β-blocker carteolol in human plasma by a sensitive gas chromatographic–negative-ion chemical ionization high-resolution mass spectrometric method 673(1995)294
Nakata, H., see Takakuwa, S. 673(1995)113
Navajas, R., Imaz, C., Carreras, D., García, M., Pérez, M., Rodríguez, C., Rodríguez, A.F. and Cortés, R.
Determination of epitestosterone and testosterone in urine by high-performance liquid chromatography 673(1995)159
Nie, L.-H., see Chen, P. 673(1995)153
Noordhoek, J., see Sessink, P.J.M. 673(1995)205
Parvoli, G., see Gori, G. 673(1995)165
Pérez, M., see Navajas, R. 673(1995)159
Pienimäki, P., Fuchs, S., Isojärvi, J. and Vàhäkangas, K.
Improved detection and determination of carbamazepine and oxcarbazepine and their metabolites by high-performance liquid chromatography 673(1995)97
Pietta, P.G., Gardana, C., Mauri, P.L., Maffei-Facino, R. and Carini, M.
Identification of flavonoid metabolites after oral administration to rats of a *Ginkgo biloba* extract 673(1995)75
Preiss, A., see Gude, Th. 673(1995)197
Ptáček, P., see Macek, J. 673(1995)316
Rasmussen, K.E., see Krogh, M. 673(1995)299
Rentsch, K.M., Schwendener, R.A., Schott, H. and Hänseler, E.
Sensitive high-performance liquid chromatographic method for the determination of N^4-hexadecyl- and N^4-octadecyl-1-β-D-arabinofuranosylcytosine in plasma and erythrocytes 673(1995)259
Roberts, M.S., see Wu, Z.-Y. 673(1995)267
Rodríguez, A.F., see Navajas, R. 673(1995)159
Rodríguez, C., see Navajas, R. 673(1995)159
Roof, R.D., see Beconi-Barker, M.G. 673(1995)231
Rubach, K., see Gude, Th. 673(1995)197
Sakamoto, N., see Tanaka, E. 673(1995)147
Samain, J.F., see Soudant, P. 673(1995)15

Sandor, V., Flarakos, T., Batist, G., Wainer, I.W. and Lloyd, D.K.
Quantitation of the diastereoisomers of L-buthionine-(*R*,*S*)-sulfoximine in human plasma: a validated assay by capillary electrophoresis 673(1995)123
Santos-Montes, A., Gonzalo-Lumbreras, R. and Izquierdo-Hornillos, R.
Simultaneous determination of cortisol and cortisone in urine by reversed-phase high-performance liquid chromatography Clinical and doping control applications 673(1995)27
Schott, H., see Rentsch, K.M. 673(1995)259
Schwendener, R.A., see Rentsch, K.M. 673(1995)259
Seno, H., Hattori, H., Kurono, S., Yamada, T., Kumazawa, T., Ishii, A. and Suzuki, O.
Gas chromatography with surface ionization detection: a highly sensitive method for determining underivatized codeine and dihydrocodeine in body fluids 673(1995)189
Sequeira, D.J. and Strobel, H.W.
High-performance liquid chromatographic method for the analysis of imipramine metabolism in vitro by liver and brain microsomes 673(1995)251
Sessink, P.J.M., Vaes, W.H.J., Van den Broek, P.H.H., Noordhoek, J. and Bos, R.P.
Determination of cyclophosphamide metabolites by gas chromatography and thermionic specific detection. Interindividual differences in hepatic biotransformation of cyclophosphamide in man in vitro 673(1995)205
Sharp, S.R., see Knebel, N.G. 673(1995)213
Shetty, B.V., see Li, W.Y. 673(1995)281
Shipley, L.A., see Cornpropst, J.D. 673(1995)67
Siluveru, M. and Stewart, J.T.
Determination of sulindac and its metabolites in human serum by reversed-phase high-performance liquid chromatography using on-line post-column ultraviolet irradiation and fluorescence detection 673(1995)91
Smith, E.B., see Beconi-Barker, M.G. 673(1995)231
Smith, G.A., see Beconi-Barker, M.G. 673(1995)231
Smith, N.C., Dunnett, M. and Mills, P.C.
Simultaneous quantitation of oxidised and reduced glutathione in equine biological fluids by reversed-phase high-performance liquid chromatography using electrochemical detection 673(1995)35
Smithers, B.M., see Wu, Z.-Y. 673(1995)267
Smoak, I.W., see Amiss, T.J. 673(1995)59
Soudant, P., Marty, Y., Moal, J. and Samain, J.F.
Separation of major polar lipids in *Pecten maximus* by high-performance liquid chromatography and subsequent determination of their fatty acids using gas chromatography 673(1995)15
Spiteller, G., see Loidl-Stahlhofen, A. 673(1995)1
Stewart, J.T., see Siluveru, M. 673(1995)91
Strobel, H.W., see Sequeira, D.J. 673(1995)251
Sturaro, A., see Gori, G. 673(1995)165
Sugawara, M., see Nagasawa, M. 673(1995)294
Suzuki, O., see Seno, H. 673(1995)189
Takakuwa, S., Chiku, S., Nakata, H., Yuzuriha, T., Mano, N. and Asakawa, N.
Enantioselective high-performance liquid chromatographic assay for determination of the enantiomers of a new anti-ulcer agent, E3810, in Beagle dog plasma and rat plasma 673(1995)113
Tanaka, E., Sakamoto, N., Inubushi, M. and Misawa, S.
Simultaneous determination of plasma phenytoin and its primary hydroxylated metabolites in carbon tetrachloride-intoxicated rats by high-performance liquid chromatography 673(1995)147
Thompson, M.J., see Wu, Z.-Y. 673(1995)267
Timby, D.M., see Dasgupta, S. 673(1995)107
Tønnesen, F., see Krogh, M. 673(1995)299
Toreson, H. and Eriksson, B.-M.
Determination of erythromycin in gastric juice and blood plasma by liquid chromatography and electrochemical detection 673(1995)81
Troiano, R., see Gori, G. 673(1995)165
Uang, Y.-S., Kang, F.-L. and Hsu, K.-Y.
Determination of caffeic acid in rabbit plasma by high-performance liquid chromatography 673(1995)43
Vaes, W.H.J., see Sessink, P.J.M. 673(1995)205
Vähäkangas, K., see Pienimäki, P. 673(1995)97
Van den Broek, P.H.H., see Sessink, P.J.M. 673(1995)205
Vidmar, T.J., see Beconi-Barker, M.G. 673(1995)231
Wainer, I.W., see Sandor, V. 673(1995)123
Wong, Y.-c. and Charles, B.G.
Determination of the angiotensin-converting enzyme inhibitor lisinopril in urine using solid-phase extraction and reversed-phase high-performance liquid chromatography 673(1995)306
Wu, E.Y., see Li, W.Y. 673(1995)281
Wu, Z.-Y., Thompson, M.J., Roberts, M.S., Addison, R.S., Cannell, G.R., Grabs, A.J. and Smithers, B.M.
High-performance liquid chromatographic assay for the measurement of melphalan and its hydrolysis products in perfusate and plasma and melphalan in tissues from human and rat isolated limb perfusions 673(1995)267
Yamada, T., see Seno, H. 673(1995)189
Yao, S.-Z., see Chen, P. 673(1995)153
Yuzuriha, T., see Takakuwa, S. 673(1995)113
Zuk, M.M., Kenney, M.E., Horowitz, B. and Ben-Hur, E.
High-performance liquid chromatographic determination of the silicon phthalocyanine Pc 4 in human blood 673(1995)320